## UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL RESEARCH SERVICE WASHINGTON, DC 20250

## **AND**

AGRICULTURE CANADA
PFRASHELTERBELTCENTRE
INDIAN HEAD, SASKATCHEWAN SOG 2 K 0

## **AND**

UNITED STATES DEPARTMENT OF AGRICULTURE NATURAL RESOURCES CONSERVATION SERVICE WASHINGTON, DC 20250

## NOTICE TO NURSERYMEN RELATIVE TO RELEASE OF CANAM HYBRID POPLAR

The Agricultural Research Service and the Natural Resources Conservation Service of the U.S. Department of Agriculture, and the PFRA Shelterbelt Centre, Agriculture Canada announce the release of **CANAM** hybrid poplar for use in field and farmstead windbreaks, wildlife habitat and fuelwood plantings in the northern Great Plains of North America.

**CANAM** originated as a single seedling that was 'selected in 1971 at the PFRA Shelterbelt Centre, Indian Head, Saskatchewan from a seedling population grown from open-pollinated seed harvested from single tree of *Populus* 'Walker'. The seedling was selected for rapid early growth and resistance to leaf rust. The parent tree is now 23 years old, free of disease and growing vigorously at the Shelterbelt Centre, Indian Head, Saskatchewan.

**CANAM** poplar (*Populus* 'CANAM') is a vegetatively propagated female hybrid poplar., A deciduous tree, **CANAM** grows 15.2 to 18.0 meters (50 to **60** feet) tall with a narrow, upright crown and branches angled sharply upward and branchlets angled at **45** degrees to the branch. The trunk is grayish-green to beige and the leaves are **rhomboid** to deltoid, shiny green on top and dull green beneath, and 5.1 to 7.6 centimeters (2 to 3 inches) long. The female catkins are light green and approximately **6.4** to 8.9 centimeters (**2.5** to **3.5** inches) long.

**CANAM** has been performance tested as PFRA #PX71-W131 in Saskatchewan by personnel at the PFRA Shelterbelt Centre, Indian Head, Saskatchewan. In the United States, **CANAM** was evaluated as Mandan #14390 by personnel at the USDA, ARS Northern Great Plains Laboratory, Mandan, North Dakota, and the USDA, NRCS, Plant Materials Center, Bismarck, North Dakota. **CANAM** differs from other hybrid poplars by combining very rapid growth rate with excellent tolerance to drought and winter damage.

In clonal trials with other poplar clones, **CANAM** had greater than average survival, height, and crown width and less than average crown density, dead terminal shoots, crown die-back, sprouting, defoliation by cottonwood leaf beetles, and bud deformation by the poplar bud gall mite. **CANAM** is superior to most standard nursery hybrid poplar clones in height growth, drought hardiness and reduced **susceptibility** to winter damage. 'Northwest' poplar and 'Walker' poplar are the only standard clones that have equal or better survival.

**CANAM** is recommended for planting in USDA plant hardiness zones 3a, 3b, 4a and 4b within the area of the northern Great Plains shown in Figure I a & 1b. It has not been adequately tested outside this area.

A limited number of dormant, hardwood cuttings will be available for distribution to nurseries, experiment stations, and arboreta. Written requests should be sent to Richard A. Cunningham, USDA, ARS, Northern Great Plains Research Laboratory, P.O. Box 459, Mandan, ND 58554, or to William Schroeder, PFRA Shelterbelt Centre, Box 940, Indian Head, Saskatchewan SOG 2KO. Genetic material of this release will be deposited in the National Plant Germplasm System where it will be available for research purposes, including development and commercialization of new cultivars.

Flowman	MAY 0 9 1995
Administrator, Agricultural Research Service U.S. Department of Agriculture	Date
	F215295
Manager, PFRA Shelterbelt Centre Agriculture Canada	Date
Lary a. Way hem   Acting for	3/10/95
Chief/Natural Resources Conservation Service	Date

U.S. Department of Agriculture




Figure 1a. Primary area of adaptation of CANAM hybrid poplar in Canada.




Figure 1b. Primary area of adaptation of CANAM hybrid poplar in the U. S. A.